



## SIGN SPECIFICATION-FOR U.S. AIR FORCE PROJECTS

- 1. THE SIGN MUST BE CONSTRUCTED OF 1200x2400mm (4'X8') 12mm (ONE HALF INCH), GRADE A-C, EXTERIOR TYPE PLYWOOD MOUNTED ON A FRAME OF TREATED LUMBER.
- 2. THE HOST MAJCOM WILL PROVIDE SIGN COLORS AND DETAILS TO THE DESIGN MANAGER IN THE REQUIREMENTS AND MANAGEMENT PLAN (RAMP).
- 3. ALL LETTERING SHALL BE UPPER CASE HELVETICA MEDIUM.
- 4. PRESERVATIVE TREAT ALL WOOD SURFACES BURIED OR IN CONTACT WITH THE EARTH.
- ALL FASTENERS SHALL BE GALVANIZED COATED.
- 6. LUMBER SHALL BE NON STRESS GRADE:  $F_t = 8.5^5 \text{ kGs/M}^2 (1200PSI)6$  $F_t = 10.5^5 \text{ kGs/M}^2 (1500PSI)$
- 7. THE ENTIRE SIGNBOARD AND SUPPORTS SHALL BE GIVEN ONE COAT OF EXTERIOR ALKYD PRIMER AND TWO COATS OF EXTERIOR ALKYD ENAMEL PAINT. THE LETTERING AND SIGN WORK SHALL BE PERFORMED BY A SKILLED SIGN PAINTER USING PAINT KNOWN IN THE TRADE AS BULLETIN COLORS. WHERE PRESERVATIVE—TREATED LUMBER IS REQUIRED, UTILIZE ONLY CURED PRESSURE—TREATED WOOD WHICH HAS HAD THE CHEMICALS LEACHED FROM THE SURFACE OF THE WOOD PRIOR TO PAINTING.





## SAMPLE CONSTRUCTION SIGN FOR PROJECTS SCHEDULE

SPACE	HEIGHT	LINE	DESCRIPTION	LETTER HEIGHT	STROKE
Α	3.5"	1	U.S. AIR FORCE PROJECT	1.5"	3/16"
В	1 "	2	IN PARTNERSHIP WITH	1.5"	3/16"
C	1 "	3	NAVAL FACILITIES	1.5"	3/16"
			ENGINEERING COMMAND		•
D	1 ''	4	EFD/EFA ACTIVITY NAME*	1.5"	3/16" 1/2" 1/2"
Ε	5"	5	PRÓJECT NAME*	4"	1/2"
F	3"		PROJECT NAME CONT'D*	4"	1/2"
		6	(IF REQUIRED)		•
G	5"	7	GENERAL CONTRACTOR/A-E	1.5"	3/16"
H	1"	8	GENERAL CONTRACTOR/A-E*	1.5"	3/16"
	4"	9	PLANNED COMPLETION DATE*	2.5"	3/16" 1/4"
J	4"				•

\*-WILL VARY TO SUIT PROJECT REQUIREMENTS

SAMPLE CONSTRUCTION SIGN FOR SCALE: NONE AIR FORCE PROJECTS PLATE 7 OF 7